


دستگاه ضبط تصاویر تحت شبکه 4K

Beryllium Series NVR



دستگاه های ضبط تصاویر کی دی تی با گارانتی نقره ای تعویض ۲ ساله خود با پشتیبانی از گستره وسیعی از برندها توانسته محبوبیت خود را در میان همکاران افزایش دهد.



برتری ها:

- پشتیبانی از گستره وسیعی از برندها
- دارای کیت رکمونت در برخی مدلها
- پشتیبانی از خروجی 4K در تمام مدلها
- پشتیبانی از فرمت تصویری H.265
- پشتیبانی از هر کانال تا ۲۰ مگاپیکسل
- ظرفیت هارد نامحدود در تمام مدلها
- وب و منوی کاملا فارسی
- نرم افزارهای کاملا فارسی
- سرور P2P در پارس آنلاین ایران
- امنیت بالا و پایداری در برابر هکرها

1 KF-0411 Limited



2 KF-0821 Limited



3 KF-1642 Limited



DESCRIPTION

- **4ch @ 4K @ 30fps** Resolution
- H.264/ **H.265**
- **40mb** Total Incoming Bandwidth
- **80mb** Total Outgoing Bandwidth
- **4ch** Real Time Playback
- **1*Sata Port @ Unlimited Capacity**
- **1*Gigabit Lan Port**
- **1*4K HDMI + 1*VGA Port**
- **1*USB 3.0 + 1* USB 2.0**
- **9 Smart Function**
- **1*Audio In + 1*Audio Out Port**
- Dimension: 315(W)x240(D)x45(H)mm
- Weight/g : 2100g Without HDD

DESCRIPTION

- **8ch @ 4K @ 30fps** Resolution
- H.264/ **H.265**
- **80mb** Total Incoming Bandwidth
- **100mb** Total Outgoing Bandwidth
- **8ch** Real Time Playback
- **2*Sata Port @ Unlimited Capacity**
- **1*Gigabit Lan Port**
- **1*4K HDMI + 1*VGA Port**
- **1*USB 3.0 + 1* USB 2.0**
- **9 Smart Function**
- **1*Audio In + 1*Audio Out Port**
- Dimension: 380(W)x298(D)x45(H)mm
- Weight/g : 2600g Without HDD

DESCRIPTION

- **16ch @ 4K @ 30fps** Resolution
- H.264/ **H.265**
- **160mb** Total Incoming Bandwidth
- **240mb** Total Outgoing Bandwidth
- **16ch** Real Time Playback
- **4*Sata Port @ Unlimited Capacity**
- **2*Gigabit Lan Port**
- **2*4K HDMI + 1*VGA Port**
- **1*USB 3.0 + 2* USB 2.0**
- **9 Smart Function**
- **Rackmount & Desktop Installation Kit**
- **1*Audio In + 1*Audio Out Port**
- **8*Alarm In + 1*Alarm Out Port**
- **1*eSATA Port @ Unlimited Capacity**
- Dimension: 440(W)x452(D)x90(H)mm
- Weight/g : 3800g Without HDD

4 KF-3282Limited



5 KF-6482Limited



DESCRIPTION

- **32ch @ 4K @ 30fps** Resolution
- H.264/ **H.265**
- **320mb** Total Incoming Bandwidth
- **480mb** Total Outgoing Bandwidth
- **16ch** Real Time Playback
- **8*Sata** Port @ Unlimited Capacity
- **2*Gigabit** Lan Port
- **2*4K HDMI + 1*VGA** Port
- **1*USB 3.0 + 2* USB 2.0**
- **9 Smart Function**
- **Rackmount** & Desktop Installation Kit
- 1*Audio In + 1*Audio Out Port
- 8*Alarm In + 1*Alarm Out Port
- 1*eSATA Port @ Unlimited Capacity
- Dimension:440(W)×452(D)×90(H)mm
- Weight/g : 4200g Without HDD

DESCRIPTION

- **64ch @ 4K @ 30fps** Resolution
- H.264/ **H.265**
- **480mb** Total Incoming Bandwidth
- **640mb** Total Outgoing Bandwidth
- **16ch** Real Time Playback
- **8*Sata** Port @ Unlimited Capacity
- **2*Gigabit** Lan Port
- **2*4K HDMI + 1*VGA** Port
- **1*USB 3.0 + 2* USB 2.0**
- **9 Smart Function**
- **Rackmount** & Desktop Installation Kit
- 1*Audio In + 1*Audio Out Port
- 8*Alarm In + 1*Alarm Out Port
- 1*eSATA Port @ Unlimited Capacity
- Dimension:440(W)×452(D)×90(H)mm
- Weight/g : 4200g Without HDD